


We claim:

1. A fungicidal mixture, comprising

5

(1) a benzamidoxime derivative of the formula I

10



15

where the substituent and the index may be as defined below:

20

R is hydrogen, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy


n 1, 2 or 3,

25

and at least one strobilurin derivative, selected from

(2) trifloxystrobin of the formula II

30




35

or

(3) picoxystrobin of the formula III

40



45


19

or

(4) pyraclostrobin of the formula IV

5

10




or

15

(5) a strobilurin derivative of the formula V

20

25




or

30

(6) a strobilurin derivative of the formula VI

35




or

40

45


20

(7) dimoxystrobin of the formula VII




10 or

(8) kresoxim-methyl of the formula VIII




20 or

(9) azoxystrobin of the formula IX



30 or

(10) a strobilurin derivative of the formula X



40

in a synergistically effective amount.

45 2. A fungicidal mixture as claimed in claim 1 where in the formula I the radical R is hydrogen.

21

3. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and trifloxystrobin of the formula II.
- 5 4. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and picoxystrobin of the formula III.
- 10 5. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and pyraclostrobin of the formula IV.
- 15 6. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and dimoxystrobin of the formula VII.
- 20 7. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and kresoxim-methyl of the formula VIII.
8. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and strobilurin derivative of the formula VI.
- 25 9. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and azoxystrobin of the formula IX.
- 30 10. A fungicidal mixture as claimed in claim 1, comprising a compound of the formula I and strobilurin derivative of the formula X.
- 35 11. A fungicidal mixture as claimed in claim 1, wherein the weight ratio of the compound of the formula I to the respective strobilurin derivative of the formulae II to X is from 20:1 to 1:20.
- 40 12. A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the fungicidal mixture as claimed in claim 1.
- 45 13. A method as claimed in claim 12, wherein the compound of the formula I as set forth in claim 1 and at least one compound of the formulae II to X as set forth in claim 1 are applied simultaneously, that is together or separately, or in succession.

22

14. A method as claimed in claim 12 or 13, wherein the fungicidal mixture or the compound of the formula I and at least one compound of the formulae II to X as set forth in claim 1 is/are applied in an amount of from 0.01 to 8 kg/ha.

5

15. A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.

10

15

20

25

30

35

40

45

Fungicidal mixtures based on benzaminoxime derivatives and a strobilurin derivative


5 Abstract

A fungicidal mixture, comprising

(1) a benzaminoxime derivative of the formula I

10

15



20

where the substituent and the index as defined below:

R is hydrogen, halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy or C₁-C₄-haloalkoxy


25

n 1, 2 or 3,

and at least one strobilurin derivative, selected from

30 (2) trifloxystrobin of the formula II

35




or

40

45

24


(3) picoxystrobin of the formula III



or

10


(4) pyraclostrobin of the formula IV



20

or

(5) a strobilurin derivative of the formula V




30

or

35

(6) a strobilurin derivative of the formula VI




45

or


25

(7) dimoxystrobin of the formula VII




10 or

(8) kresoxim-methyl of the formula VIII




20 or

(9) azoxystrobin of the formula IX



30

(10) a strobilurin derivative of the formula X



40

in a synergistically effective amount

is described.

45